

L Number	Hits	Search Text	DB	Time stamp
1	58	(channel adj configur\$6) with manufactur\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 19:57
2	30	((channel adj configur\$6) with manufactur\$3) and @ad<20000512	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 19:55
3	150	(channel adj configur\$6) with (manufactur\$3 or install\$3 or initial)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 19:57
4	92	((channel adj configur\$6) with (manufactur\$3 or install\$3 or initial)) and @ad<20000512	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 19:58
5	6	((channel adj configur\$6) with (manufactur\$3 or install\$3 or initial)) and @ad<20000512) and ("WLAN" or (base adj station) or (access adj point))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 19:58

L Number	Hits	Search Text	DB	Time stamp
1	41	(channel adj (assign\$4 or allocat\$3)) with (order or random) with (equal or balance or even)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 20:22
2	29	((channel adj (assign\$4 or allocat\$3)) with (order or random) with (equal or balance or even)) and @ad<20000512	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 20:23

L Number	Hits	Search Text	DB	Time stamp
1	41	(channel adj (assign\$4 or allocat\$3)) with (order or random) with (equal or balance or even)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 20:23
2	29	((channel adj (assign\$4 or allocat\$3)) with (order or random) with (equal or balance or even)) and @ad<20000512	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 20:23
3	42	(channel adj (assign\$4 or allocat\$3 or distribut\$3)) with (order or random) with (equal or balance or even)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 20:23
4	30	((channel adj (assign\$4 or allocat\$3 or distribut\$3)) with (order or random) with (equal or balance or even)) and @ad<20000512	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 20:24
5	78	(channel adj configur\$5) with ((base adj station) or (access adj point))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 20:25
6	51	((channel adj configur\$5) with ((base adj station) or (access adj point))) and (order or random) and (even or balance or equal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 20:25
7	27	((channel adj configur\$5) with ((base adj station) or (access adj point))) and (order or random) and (even or balance or equal)) and @ad<20000512	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 20:25

L Number	Hits	Search Text	DB	Time stamp
24	14	manufacturer with (assign\$3 or allocat\$3) with ((access adj point) or (base adj station))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 15:35
26	23	manufacturer with (assign\$3 or allocat\$3) with channel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 15:37
28	12	(manufacturer with (assign\$3 or allocat\$3) with channel) and @ad<20000512	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 15:40
30	12	manufacturer with default with channel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 15:41
31	9	(manufacturer with default with channel) and @ad<20000512	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 15:43
35	2	manufacturer with channel adj (assign\$5 or allocat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 15:56
36	26	(default or "pre-set" or "preset") with channel with manufacturer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 15:57
37	18	((default or "pre-set" or "preset") with channel with manufacturer) and @ad<20000512	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 15:58
38	175	((base adj station) or (access adj point)) with (default or preset) with channel\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 15:58
39	104	((base adj station) or (access adj point)) with (default or preset) with channel\$2) and @ad<20000512	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 15:59
40	13	((base adj station) or (access adj point)) with (default or preset) with channel\$2) and @ad<20000512) and manufactur\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 16:03
41	3	("370/329").ccls. and (manufacturer with (assign\$4 or allocat\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 16:04
42	1	("370/329").ccls. and (manufacturer with (assign\$4 or allocat\$3)) and @ad<20000512	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 16:05
43	1	("370/328").ccls. and (manufacturer with (assign\$4 or allocat\$3)) and @ad<20000512	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 16:07

45	7	("370/338").ccls. and (manufacturer with (assign\$4 or allocat\$3)) and @ad<20000512	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 16:08
48	3	("455/450").ccls. and (manufacturer with (assign\$4 or allocat\$3)) and @ad<20000512	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 16:09
50	1	("455/454").ccls. and (manufacturer with (assign\$4 or allocat\$3)) and @ad<20000512	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 16:13
51	1	("455/509").ccls. and (manufacturer with (assign\$4 or allocat\$3)) and @ad<20000512	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 16:09
52	2	channel adj (default or setting) with manufacturer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 16:13
53	38	reconfigur\$4 with channel with ((base adj station) or (access adj point))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 16:14
54	18	(reconfigur\$4 with channel with ((base adj station) or (access adj point))) and @ad<20000512	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 16:14